This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

r					
-	57	SAN and (snapshot same backup)	USPAT;	2004/09/15	
İ			EPO; JPO;	13:11	
		·	DERWENT;	·	-
			IBM TDB		
-	3810	711/162 or 707/204 or 707/205	USPAT;	2004/09/15	İ
		, 127 138 32 7077 201 31 7077 233	EPO; JPO;	13:12	
				13.12	
			DERWENT;		
	4.7		IBM_TDB		
	117		USPAT;	2004/09/15	
		(snapshot same backup)	EPO; JPO;	13:12	- 1
			DERWENT;		
			IBM TDB		
_	6	((711/162 or 707/204 or 707/205) and	USPAT;	2004/09/15	- 1
		(snapshot same backup)) and ((transfer\$	EPO; JPO;	13:24	-
		or migrat\$ or receiv\$) near2 addresses)	DERWENT;	13.24	
		or migracy or receive, hearz addresses,			
_	187	/711/162 on 707/204 on 707/205) and	IBM_TDB	2004/20/45	
-	10/	(== / = = = = =	USPAT;	2004/09/15	
1		snapshot and backup	EPO; JPO;	13:21	
			DERWENT;		
			IBM_TDB		- 1
-	9	((111 / 101 OI / 0 / / 201 OI / 0 / / 200 / dild	USPAT;	2004/09/15	-
		snapshot and backup) and ((transfer\$ or	EPO; JPO;	13:36	
	1	migrat\$ or receiv\$) near2 addresses)	DERWENT;		
	1	Jane Jane	1		
_	748	snapshot and backup	IBM_TDB	2004/00/15	
	/40	знарэнос ана раскир	USPAT;	2004/09/15	
1			EPO; JPO;	13:37	
			DERWENT;		1
			IBM_TDB		
-	70	(the first and the first	USPAT;	2004/09/15	
		address)	EPO; JPO;	13:37	
			DERWENT;	=====	
			IBM TDB		
_	23	((snapshot and backup) and (snapshot same		2004/00/15	
	23		USPAT;	2004/09/15	
		address)) and san	EPO; JPO;	14:01	
			DERWENT;		-
			IBM TDB		-
-	1280	storage near2 area near2 network	USPAT;	2004/09/15	- 1
			EPO; JPO;	14:02	ı
			DERWENT;		
			IBM TDB		
-	5	(storage near2 area near2 network) and	USPAT;	2004/09/15	
		(receiv\$ with (storage near2 addresses))	1		
		(1000109 with (Storage HearZ addresses))	EPO; JPO;	14:03	
			DERWENT;		
			IBM_TDB		
-	1		USPAT;	2004/09/15	
		(receiv\$ with (storage near2 addresses))	EPO; JPO;	14:05	
1		and backup and snapshot	DERWENT;		
	1	- · · · · · · · · · · · · · · · · · · ·	IBM TDB		-
` —	1	(storage near2 area near2 network) and	USPAT;	2004/09/15	
	_	(storage near2 addresses) and backup and	EPO; JPO;	14:05	
1		snapshot		14.03	
	-	. DIREPORTO C	DERWENT;		
1_		/- -	IBM_TDB		
	1	(storage near2 area near2 network) and	_USPAT;	_2004/09/15	- -
	` `	(storage near2 addresses) and backup and	EPO; JPO;	14:05	
		snapshot	DERWENT;		
	1		IBM TDB		
-	5	(storage near2 area near2 network) and	USPAT;	2004/09/16	
		addresses and backup and snapshot	EPO; JPO;	10:03	
			DERWENT;	10.00	
_	59	711/162 and/storago mass2	IBM_TDB	2004/00/25	
	39	711/162 and (storage near2 area near2	USPAT;	2004/09/16	1
	ļ	network)	EPO; JPO;	10:11	
			DERWENT;	•	Ī
		i e e e e e e e e e e e e e e e e e e e	IBM_TDB		
-	28	711/162\$.ccls. and(storage near2 area	USPĀT;	2004/09/16	
		near2 network)	EPO; JPO;	10:04	
		,	DERWENT;		
			IBM_TDB		
	L		T 1011 1010		

L Number	Hits	Search Text	DB	Time stamp
-	0	("(databasesamesnapshot)").PN.	USPAT; US-PGPUB; EPO; JPO;	2004/09/15 11:14
-	895	database same snapshot	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/07 11:16
_	· 97	(database same snapshot) and (database with image)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/07
	3	((database same snapshot) and (database with image)) and extents	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/07
-	231	(database same snapshot) and backup	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/07 11:17
_	101	(database same snapshot) and backup and image	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/07 11:17
-	3	(database same snapshot) and backup and image and extents	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/07 11:20
-	410	(transmit\$ or transfer\$) with extents	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/07
-	1	((transmit\$ or transfer\$) with extents) and (snapshot same image)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/07
-	2	((transmit\$ or transfer\$) with extents) and (snapshot same database)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/07
	19-	-((transmit\$-or-transfer\$) with extents) and snapshot	DERWENT; IBM_TDB USPAT; US-PGPUB;	-2004/09/07 11:27
_	1199	SAN same (storage near2 devices)	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/07
_	126	(SAN same (storage near2 devices)) and snapshot	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/07

-	78	(SAN same (storage near2 devices)) and	USPAT;	2004/09/07
·		snapshot and image	US-PGPUB;	11:28
			EPO; JPO; DERWENT;	
			IBM TDB	
-	50	(SAN same (storage near2 devices)) and	USPAT;	2004/09/07
		snapshot and image and backup	US-PGPUB;	11:28
			EPO; JPO;	
		_	DERWENT;	
	7	(CDN name (nhanana name) and	IBM_TDB	2004/00/07
-	7	(SAN same (storage near2 devices)) and snapshot and image and backup and extents	USPAT; US-PGPUB;	2004/09/07
		snapshot and image and backup and extents	EPO; JPO;	11.23
			DERWENT;	
			IBM_TDB	
-	133	storage near2 extents	USPAT;	2004/09/07
			US-PGPUB;	11:30
			EPO; JPO;	
			DERWENT; IBM TDB	
1 -	11	(storage near2 extents) and snapshot	USPAT;	2004/09/07
		(accorded to the control of the cont	US-PGPUB;	11:48
			EPO; JPO;	
		·	DERWENT;	
		(IBM_TDB	2004/00/07
-	2	(extents with alter\$2) and (operating near2 system)	USPAT; US-PGPUB;	2004/09/07
		nearz system/	EPO; JPO;	11.77
	;		DERWENT;	
	1		IBM TDB	
-	55	extents with alter\$2	USPAT;	2004/09/07
			US-PGPUB;	11:49
			EPO; JPO;	
			DERWENT; IBM TDB	
_	42	extents with alter\$2	USPAT;	2004/09/07
			EPO; JPO;	11:50
			DERWENT;	
			IBM_TDB	
_	497	snapshot same database	USPAT;	2004/09/07
			EPO; JPO; DERWENT;	11:51
			IBM TDB	
_	1	(snapshot same database) and (map\$ same	USPAT;	2004/09/07
		extents)	EPO; JPO;	11:52
			DERWENT;	
1_	127	(snapshot same database) and backup	IBM_TDB USPAT;	2004/00/07
	12/	(Shapshor same darabase) and backup	EPO; JPO;	2004/09/07 11:52
			DERWENT;	11.72
			IBM TDB	
-	60	,	USPAT;	2004/09/07
		_image	EPO; JPO;	-1-1:52
1			DERWENT;	
_	43	(snapshot same database) and backup and	<pre>IBM_TDB USPAT;</pre>	2004/09/07
		image and blocks	EPO; JPO;	11:59
			DERWENT;	=
			IBM_TDB	
-	81	(snapshot same database) and (receiv\$	USPAT;	2004/09/07
1		with block)	EPO; JPO;	12:02
1			DERWENT; IBM TDB	
	32	(snapshot same database) and (receiv\$	USPAT;	2004/09/07
		with block) and SAN	EPO; JPO;	12:10
1			DERWENT;	
1			IBM_TDB	
_	2	6360330.pn.	USPAT;	2004/09/07
			EPO; JPO;	12:11
			DERWENT; IBM TDB	
L	1	<u> </u>	TOPITION	L

Search History 9/23/04 11:38:41 AM Page 2

19 dreceivS with (storage with identifier) SPATT EMPO JPO; DERWENT; TEM TDB DER			T , T	T	
- 9 (receiv\$ with (storage with identifier) 10 14:38 2004/09/16 2004/09	–	19	(receiv\$ with (storage with identifier))		
Part Part			and snapshot		14:14
9 (receivy with (storage with identifier) USPĀT; 2004/09/16 14:38 14:38 14:38 15:38 15:06 16:37 16:38 16				1	
and snapshot and backup - 327 database with snapshot - 327 database with snapshot - 17 (database with snapshot) and backup and				_	
DERMENT; IBM TDB USPAT; 14:38 2004/09/16 2004	_	9		1	1
TRM TOB			and snapshot and backup		14:38
-				1	
Continue					
17	-	327	database with snapshot		
17				EPO; JPO;	14:38
17					
SAN					
- 11	-	17			1
11			SAN	1	14:38
11	İ			1	
SAN and identifier EPO, JPO, JPO, DERWENT; IBM TDB Sam (back near2 up) SAN					
DERWENT; Same (back near2 up) Same snapshot Same (storage with identifier) same snapshot Same (sack near2 up) Same snapshot Same (back near2 up) Same snapshot Same (back near2 up) Same snapshot Same (sack near2 up) Same snapshot Same s	-	11		· ·	1
TIM TDB			SAN) and identifier		14:49
111213 (storage with identifier) same snapshot sam (back near2 up) 14:50					
Sam (back near2 up)					
DERWENT; IBM TDB USPAT; EPO; JPO; 14:50 DERWENT; IBM TDB USPAT; EPO; JPO; O; JPO; JPO; JPO; JPO; JPO; J	-	111213			
TBM TDB		1	sam (back near2 up)		14:50
S395 ((storage with identifier) same snapshot sam (back near2 up)) and SAN SAN SPAT; SPO; JPO; DERWENT; IBM TDB SPAT; SAM (operating near2 system) SPAT; SPO; JPO; DERWENT; IBM TDB SAN (corage with identifier) same snapshot snapshot sam (back near2 up)) and SAN) and (operating near2 system) SPAT; SAM TDB USPAT; SAM TDB USPAT		1		1	
Sam (back near2 up) and SAN				· —	
DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; EP		5395		1	
1139 (((storage with identifier) same snapshot sam (back near2 up)) and SAN) and (operating near2 system) LIBM_TDB (USPAT; EPC, JPC; DERWENT; IBM_TDB (uspat) Libm_TDB (uspat)		l	sam (back near2 up)) and SAN		14:50
1139		-		1	
Sam (back near2 up)) and SAN) and (operating near2 system)	1				
Coperating near2 system Coperating near Coperating near2 system	-	1139		USPAT;	
Comparison of the comparison				1	14:50
Company Comp		1	(operating near2 system)	DERWENT;	
Snapshot sam (back near2 up)) and SAN BPO; JPO; and (operating near2 system)) and (receiv\$ with identifier) DERWENT; IBM TDB USPAT; DERWENT; DERWENT				_	
and (operating near2 system)) and (receiv\$ with identifier) 2 (receiv\$ with (storage near2 identifier)) and (read with snapshot) - 0 (receiv\$ with (storage near2 identifier)) and (snapshot with database) - 14 (storage with identifier) and (snapshot with database) - 14 (storage with identifier) and (snapshot with database) - 18 (disk near2 identifiers) and san - 18 (disk near2 identifiers) and san - 5 ((disk near2 identifiers) and san) and backup - 0 ((disk near2 identifiers) and san) and backup and snapshot - 85 (device near2 identifiers) and san - 85 (device near2 identifiers) and san - 85 (device near2 identifiers) and san - 18 (disk near2 identifiers) and san) and backup and snapshot - 18 (device near2 identifiers) and san) and backup and snapshot - 18 (device near2 identifiers) and san) and backup and snapshot - 18 (device near2 identifiers) and san) and backup and snapshot - 18 (device near2 identifiers) and san) and backup and snapshot - 19 (device near2 identifiers) and san) and backup and snapshot - 19 (device near2 identifiers) and san) and backup and snapshot - 19 (device near2 identifiers) and san) and backup and snapshot - 10 (device near2 identifiers) and san) and backup and snapshot - 10 (device near2 identifiers) and san) and backup and snapshot - 10 (device near2 identifiers) and san) and backup and snapshot - 10 (device near2 identifiers) and san) and backup and snapshot - 10 (device near2 identifiers) and san) and backup and snapshot - 10 (device near2 identifiers) and san) and backup and snapshot - 10 (device near2 identifiers) and san) and backup and snapshot - 10 (device near2 identifiers) and san) and backup and snapshot - 10 (device near2 identifiers) and san) and backup and snapshot - 10 (device near2 identifiers) and san) and backup and snapshot - 10 (device near2 identifiers) and san) and backup and snapshot - 10 (device near2 identifier)	-	62		I .	
Creceiv\$ with identifier Creceiv\$ with (storage near2 identifier) Land (read with snapshot) Land (read with snapshot) Land (read with snapshot) Land (read with snapshot) Land (receiv\$ with (storage near2 identifier) Land (snapshot with database) Land (snapshot with da				EPO; JPO;	14:54
2		!			
and (read with snapshot) EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; ISPAT; EPO; JPO; DERWENT; ISPAT; EPO; JPO; DERWENT; ISP				IBM_TDB	
DERWENT; IBM TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM	-	2			
TEM_TDB USPAT; EPO; JPO; DERWENT; IEM_TDB USPAT; EPO; JPO; DERWENT; IEM_TDB USPAT; IEM_TDB			and (read with snapshot)		14:57
Continue of the continue of				DERWENT;	
and (snapshot with database) and (snapshot with database) EPO; JPO; DERWENT; IBM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; IBM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB				· —	
The control of the	_	0			
TBM_TDB			and (snapshot with database)		14:57
14					,
With database EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; D					
DERWENT; IBM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; IBM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; IBM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; IBM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; IBM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	-	14		1	1
18			with database)		15:06
18			·		
EPO; JPO; DERWENT; IBM_TDB USPAT; DERWENT; DERW					
DERWENT; IBM_TDB USPAT; 2004/09/16 backup ((disk near2 identifiers) and san) and USPAT; 2004/09/16 backup ((disk near2 identifiers) and san) and USPAT; 2004/09/16 backup and snapshot (device near2 identifiers) and san USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB	-	18	(disk near/ identifiers) and san		
- 5 ((disk near2 identifiers) and san) and USPAT; 2004/09/16 backup 0 ((disk near2 identifiers) and san) and USPAT; 15:06 DERWENT; 1BM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; 1EM_TDB USPAT; EPO; JPO; DERWENT; 1BM_TDB USPAT; 1BM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 15:07					15:07
5 ((disk near2 identifiers) and san) and USPAT; 2004/09/16 backup 0 ((disk near2 identifiers) and san) and USPAT; 15:06 DERWENT; 1BM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; 1BM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; 1BM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; 1BM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; 1BM_TDB					
backup ((disk near2 identifiers) and san) and backup and snapshot (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san		_	(//// - 10		0004/05/55
DERWENT; IBM_TDB USPAT; backup and snapshot Colored to be a served as a serve		5			
- 0 ((disk near2 identifiers) and san) and backup and snapshot IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB			раскир		15:06
0 ((disk near2 identifiers) and san) and backup and snapshot 85 (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san (device near2 identifiers) and san) (device near2 identifiers) and san) (device near2 identifiers) and san) (device near2 identifiers) and san)					
backup and snapshot BEPO; JPO; DERWENT; IBM_TDB USPAT; 2004/09/16 EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; IBM_TDB			//dd-nh	_	0004/00/5-
DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB	-	0			
device near2 identifiers) and san IBM_TDB			packup and snapshot		15:07
- 85 (device near2 identifiers) and san USPAT; 2004/09/16 EPO; JPO; DERWENT; IBM_TDB					
EPO; JPO; 15:07 DERWENT; IBM_TDB	_		(4		0004/05/55
DERWENT; IBM_TDB	-	85	(device near/ identifiers) and san		
IBM_TDB			•		15:07
			1.12 .1		
60 (disk with identifiers) and san USPAT; 2004/09/16	-	60	(disk with identifiers) and san		
EPO; JPO; 15:07					15:07
DERWENT;					
IBM_TDB				IBM_TDB	

_	17	((707/204 or 707/203) and (snapshot\$ same (file near2 system)) and (receiv\$ with	USPAT; US-PGPUB;	2004/09/17 17:25	7
]	blocks)	EPO; JPO;	17.25	
		,	DERWENT;		
	İ		IBM TDB		-
_	11	(operating near2 system) same extents	USPAT;	2004/09/17	
		same operations	US-PGPUB;	17:27	
		Samo operations	EPO; JPO;	17.27	ľ
			DERWENT;		
			IBM TDB		
_	1	((operating near2 system) same extents	USPAT;	2004/09/17	İ
	_	same operations) and snapshot	US-PGPUB;	17:26	ĺ
		- small speciality, and bridge	EPO; JPO;	17.20	l
			DERWENT;		
			IBM TDB		
, –	13	((operating near2 system) same extents)	USPAT;	2004/09/17	
		and snapshot	US-PGPUB;	17:32	
		,	EPO; JPO;	11.32	
		· · · · · · · · · · · · · · · · · · ·	DERWENT;		
		•	IBM TDB		
_	198	(707/204 or 707/203) and (snapshot\$) and	USPAT;	2004/09/17	
		(file near2 system)	US-PGPUB;	17:33	
		(====	EPO; JPO;	17.33	-
			DERWENT;		
			IBM TDB		1
_	11	((707/204 or 707/203) and (snapshot\$) and	USPAT;	2004/09/17	
		(file near2 system)) and (receiv\$ with	US-PGPUB;	17:34	
		identifiers)	EPO; JPO;	1,.31	
		,	DERWENT;		
			IBM TDB		1
-	24	((707/204 or 707/203) and (snapshot\$ same	USPĀT;	2004/09/17	
		(file near2 system))) and identifiers	US-PGPUB;	17:42	
		1,,,,	EPO; JPO;	1	
		·	DERWENT;	-	
			IBM TDB	×	
-	35	(number with extents) and snapshot\$	USPAT;	2004/09/17	
			US-PGPUB;	17:42	
			EPO; JPO;	,	
			DERWENT;		
		•	IBM TDB		
-	115	(TITE III)	USPAT;	2004/09/17	
		system))	US-PGPUB;	17:48	
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
-	35	SAN and (snapshot\$ same (file near2	USPĀT;	2004/09/17	
ļ		system)) and backup	EPO; JPO;	17:48	
			DERWENT;		1
			IBM TDB		
-	2	6434681.pn.	USPAT;	2004/09/17	
		•	US-PGPUB;	17:56	
		•	EPO; JPO;		
		·	DERWENT;		_
			IBM TDB		

L	Hits	Search Text	DB	Time stamp
Number				_
1	2	6304980.pn.	USPAT;	2004/09/23
	•	_	US-PGPUB;	10:32
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	1	6304980.pn. and error	USPĀT;	2004/09/23
			US-PGPUB;	10:37
		·	EPO; JPO;	10.07
			DERWENT;	
			IBM TDB	
3	2	6542962.pn.	USPAT;	2004/09/23
,	_	0012302.pm.	US-PGPUB;	
				10:48
			EPO; JPO;	
			DERWENT;	
4	001		IBM_TDB	
4	281	(detecting with error) same (I/O)	USPAT;	2004/09/23
			US-PGPUB;	11:36
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	86	((detecting with error) same (I/O)).ab.	USPAT;	2004/09/23
			US-PGPUB;	10:49
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
6	7	(((detecting with error) same (I/O)).ab.)	USPAT;	2004/09/23
		and ((detecting with error) same	US-PGPUB;	11:36
		(I/O)).clm.	EPO; JPO;	1 11.33
			DERWENT;	
			IBM TDB	
7	5262	714/4 or 714/5 or 714/9 or 714/48 or	USPAT;	2004/09/23
		714/54	US-PGPUB;	11:36
		· /	EPO; JPO;	11.30
			DERWENT;	
8	34	(714/4 or 714/5 or 714/9 or 714/48 or	IBM_TDB	2004/00/02
~	34	714/54 \ and (detecting with angle)	USPAT;	2004/09/23
		714/54) and (detecting with error) same	US-PGPUB;	11:36
		(I/O)	EPO; JPO;	
			DERWENT;	
9	1.0	//214/4	IBM_TDB	
9	10	((714/4 or 714/5 or 714/9 or 714/48 or	USPAT;	2004/09/23
		714/54) and (detecting with error) same	US-PGPUB;	11:36
ļ	i	(I/O)) and $((detecting with error)$ same	EPO; JPO;	
		(I/O)).clm.	DERWENT;	
			IBM TDB	

L Number	Hits	Search Text	DB	Time stamp
10	1326	710/2 or 710/20	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/23 11:42
11	125	(710/2 or 710/20) and (I/O same error)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/23
12	. 17	(710/2 or 710/20) and (I/O same error) and backup	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/23
13	0	(710/2 or 710/20) and (I/O same error).clm. and backup	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/23
14	17	(710/2 or 710/20) and (I/O same error) and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/23 11:43